





OUR MISSION

Pentair delivers smart, sustainable solutions that empower our customers to make the most of life's essential resource.



INSTALL AN EVERPURE SYSTEM ANYWHERE CLEANER, QUALITY WATER IS DESIRED:

















TABLE OF CONTENTS

- 4 SUSTAINABILITY THAT SAVES
- 5 THE PENTAIR® EVERPURE® ADVANTAGE
- 7 FILTER SELECTION BY CONTAMINANT
- **8** DRINKING WATER SYSTEMS

- 14 REPLACEMENT CARTRIDGES
- **15** ACCESSORIES
- **16** INLINE WATER FILTERS
- 17 WHOLE HOME FILTERS
- 18 PEACE OF MIND. FOR LIFE.





WHY CHOOSE PENTAIR EVERPURE?

THE PENTAIR EVERPURE ADVANTAGE: BRINGING COMMERCIAL TECHNOLOGY TO YOUR HOME. RELIABLE ACCESS TO CLEANER QUALITY WATER IS ESSENTIAL FOR LIFE.

Wellness begins with water.

Utilizing the same technology used around the world in restaurants and coffee houses, Pentair Everpure brings superior filtration into your home. Everpure commercial grade water filtration systems reduce contaminants that may affect water taste while preserving the valuable minerals and vitamins naturally found in drinking water. Pentair Everpure can provide peace of mind with cleaner, great-tasting water in your home.

Water Aesthetics

- Cloudiness
- Hardness
- Taste musty, earthy, fishy, metallic, rust, and chlorine
- Smell chlorine, musty, fishy, and earthy

Contaminants

- Volatile organic compounds (VOCs)
- · Heavy metals and lead
- Chemicals
- Mold
- Sulfur

Our drinking water systems are tested and certified to the highest standards.

STAGE

The Pentair Everpure exclusive precoat technology employs Micro-Pure® media and a unique membrane technology to provide:



- Particle reduction as small as 0.5 micron in size by mechanical means
- Reduction of dirt, rust, oxidized iron, manganese, and sulfur
- Advanced taste and odor reduction
- Chlorine taste reduction

STAGE

Protects your appliances from the damaging buildup of limescale and mineral scale. The **Pentair Everpure H-Series** and **EF Series** help protect and prolong the life of:



- Coffee and tea makers Ice makers
- Water chillers
- Cappuccino machines
- Refrigerators
- Sauna and steam units in the home
- Instant-hot units

STAGE

Pentair Everpure units such as the **H-300, H-1200,** and **EF-6000** have a third stage, which provides additional protection including:



- Reduction of volatile organic chemicals (VOCs) including trihalomethanes (THMs)
- Reduction of chloramines (H-1200 only)
- Reduction of MTBE (H-1200 only)

Everpure drinking water systems are tested and certified to the highest standards. See product specification sheets for agency certifications.

EPA Est. No. 002623-IL-002 CUSTOMER SERVICE: 800.279.9404



FILTER SELECTION BY CONTAMINANT

CLEANER, FRESHER WATER THROUGHOUT YOUR HOME.

Choose the Pentair Everpure water filtration system that best fits your needs.

CONTAMINANT REDUCTION	EF-1500 and EF-3000	EF-6000	H-54/ H-104	H-300	H-300- NXT	H-1200	PBS-400	ROM-IV
Lead	•	•	•	•	•	•	•	•
Off-tastes and odors and chlorine	•	•	•	•	•	•	•	•
NSF/ANSI Standard 53 or 58 certified to reduce cysts such as Cryptosporidium and Giardia by mechanical means	•	•	•	•	•	•	•	•
Reduces particles as small as 0.5 micron in size by mechanical means	•	•	•	•	•	•	•	•
Oxidized iron, oxidized manganese, and sulfides	•	•	•	•	•	•	•	
Volatile Organic Chemicals (VOCs), including Trihalomethanes (THMs)				•	•	•		
Bacteriostatic control		•		•	•	•		
Pharmaceuticals*					•			
Chloramines and Methyl Tertiary Butyl Ether (MTBE)						•		
Copper, Cadmium, Selenium, Chromium III, and Chromium VI								•
Arsenic V								•
Fluoride								•
Radium 226/228								•
Dissolved minerals and salts								•
Dedicated faucet required?	N	N	Υ	Υ	Υ	Υ	N	Υ









Ice Maker

OUR COMPREHENSIVE RANGE OF WATER SOLUTIONS PROVIDES CLEANER, FRESHER WATER THROUGHOUT YOUR HOME.

KITCHEN AND ICE MAKER FILTRATION SYSTEMS

The Pentair Everpure exclusive Micro-Pure filtration technology reduces potentially harmful contaminants that may be in your family's drinking water. With an Everpure System in your home, everything you make will taste better: coffee, tea, flavored water mixes, juices, soups, and even ice cubes.



PENTAIR

H-54 (EV925267)

- Reduces particles as small as
 0.5 micron in size by mechanical means
- Reduces lead and chlorine taste and odor
- NSF/ANSI Standard 53 certified to reduce cysts such as Cryptosporidium and Giardia by mechanical means
- Filters 750 gallons (2,835 liters); 0.5 gpm flow (1.9 lpm)
- Installation space required: 5W x 15H x 5D in (13 x 38 x 13 cm)





Separate faucet installation



- Micro-Pure filtration media provides superior chlorine taste and odor and other contaminant reduction
- Reduces lead to below EPA standards
- NSF/ANSI Standard 53 certified to reduce cysts such as Cryptosporidium and Giardia by mechanical means
- Reduces limescale buildup in appliances
- Filters 1,000 gallons (3,780 liters); 0.5 gpm flow (1.9 lpm)
- Installation space required: 5W x 20H x 5D in (13 x 50.8 x 13 cm)





Separate faucet installation

PENTAIR.COM EPA Est. No. 002623-IL-002





H-300(EV927076)

- Reduces particles as small as 0.5 micron in size by mechanical means
- Reduces lead, volatile organic chemicals (VOCs), chlorine taste and odor and more
- NSF/ANSI Standard 53 certified to reduce cysts such as *Cryptosporidium* and *Giardia* by mechanical means
- Filters 300 gallons (1,136 liters); 0.5 gpm flow (1.9 lpm)
- Installation space required: 5W x 22H x 5D in (13 x 56 x 13cm)



Bottled water equivalent 2.272



Separate faucet installation



H-300-NXT(EV927151)

- Reduces particles as small as 0.5 micron in size by mechanical means
- Reduces lead, volatile organic chemicals (VOCs), chlorine taste and odor and more
- Only Pentair Everpure system NSF/ANSI standard 401 certified to reduce pharmaceuticals, BPA, and other emerging contaminants
- NSF/ANSI Standard 53 certified to reduce cysts such as *Cryptosporidium* and *Giardia* by mechanical means
- Filters 300 gallons (1,136 liters); 0.5 gpm flow (1.9 lpm)
- Installation space required:5W x 22H x 5D in (13 x 56 x 13cm)





Separate faucet installation




H-1200 (EV928200)

- Reduces particles as small as 0.5 micron in size by mechanical means
- Reduces lead, volatile organic chemicals (VOCs), MTBE, chlorine taste and odor and more
- NSF/ANSI Standard 53 certified to reduce cysts such as Cryptosporidium and Giardia by mechanical means
- Filters 1,000 gallons (3,780 liters); 0.5 gpm flow (1.9 lpm)
- Installation space required:
 13W x 22H x 5D in (33 x 56 x 13 cm)











EF-1500(EV985800)

- Smaller canister size is ideal for use in the bathroom or wherever space is limited
- Reduces particles as small as
 0.5 micron in size by mechanical means
- Reduces lead, chlorine taste and odor, dirt and cloudiness, and more
- NSF/ANSI Standard 53 certified to reduce cysts such as Cryptosporidium and Giardia by mechanical means
- Reduces limescale buildup in water appliances
- Filters 1,500 gallons (5,678 liters); 2.2 gpm flow (8.3 lpm)
- Installation space required: 5W x 15H x 5D in (13 x 38 x 13 cm)

Separate faucet not required!





EF-3000(EV985700)

- Works well throughout the entire home
- Reduces particles as small as 0.5 micron in size by mechanical means
- Reduces lead, chlorine taste and odor, dirt and cloudiness, and more
- NSF/ANSI Standard 53 certified to reduce cysts such as *Cryptosporidium* and *Giardia* by mechanical means
- Reduces limescale buildup in water appliances
- Filters 3,000 gallons (11,356 liters); 2.2 gpm flow (8.3 lpm)
- Installation space required: 5W x 20H x 5D in (13 x 50.8 x 13 cm)

Separate faucet not required!





EF-6000(EV985500)

- Perfect for the family kitchen or any high-capacity area
- Reduces particles as small as 0.5 micron in size by mechanical means
- Reduces lead, chlorine taste and odor, dirt and cloudiness, and more
- NSF/ANSI Standard 53 certified to reduce cysts such as *Cryptosporidium* and *Giardia* by mechanical means
- Contains bacteriostatic protection layer meant to inhibit growth of bacteria within the system
- Reduces limescale buildup in water appliances
- Filters 6,000 gallons (22,712 liters); 2.2 gpm flow (8.3 lpm)
- Installation space required: 5W x 22H x 5D in (13 x 56 x 13cm)

Separate faucet not required!







PREP SINK AND WET BAR FILTRATION SYSTEM

Ensure the quality of water used in preparing fresh vegetables and fruits, and in making better-tasting beverages and ice cubes. This compact filtration system neatly tucks away in virtually any cabinet and simply connects to your existing tap.







ır lce Ma



PBS-400 (EV927085)

- Reduces particles as small as 0.5 micron in size by mechanical means
- Provides superior chlorine taste and odor and other substance reduction
- Reduces lead to below EPA standards
- NSF/ANSI Standard 53 certified to reduce cysts such as *Cryptosporidium* and *Giardia* by mechanical means
- Reduces limescale buildup in water appliances
- Plumbs directly to your existing cold water tap
- Filters 3,000 gallons (11,356 liters);2.2 gpm flow (8.3 lpm)
- Installation space required: 5W x 20H x 5D in (13 x 50.8 x 13 cm)

Separate faucet not required!







ROM-IV (EV929650)

- Reduces particles as small as 0.5 micron in size by mechanical means
- Provides superior chlorine taste and odor and other substance reduction
- NSF/ANSI Standard 58 certified to reduce cysts such as Cryptosporidium and Giardia by mechanical means
- High volume; produces up to 14 gallons per day
- Compact design
- High recovery encapsulated membrane
- Filters 5,000 gallons (18,925 liters)
- Installation space required: $9.50W \times 18H \times 5.0D(24.2 \times 46 \times 13 cm)$

Replacement Cartridges

ROM-PFK Twin Cartridge Set EV929670 ROM-G75 Reverse Osmosis Element EV929775







REVERSE OSMOSIS SYSTEM

Offering a level of performance above and beyond conventional filtration systems, the Pentair Everpure ROM IV three-stage system ensures superior water quality for your family.



REPLACEMENT CARTRIDGES

FILTER LIFE CYCLE

Replace your filter about every six to twelve months or when you notice a decrease in flow rate.

EASE OF REPLACEMENT

Quick-change technology for easy cartridge replacement.

Quickly replace the cartridge with an easy 1/4 turn.



DESCRIPTION	PART NO.
H-54 Replacement Cartridge (1-PK)	EV925268
H-54 Replacement Cartridge (6-PK)	EV973006
H-104 Replacement Cartridge (1-PK)	EV961211
H-104 Replacement Cartridge (6-PK)	EV961216
H-300 Replacement Cartridge (1-PK)	EV927072
H-300 Replacement Cartridge (6-PK)	EV927071
H-300-NXT Replacement Cartridge (1-PK)	EV927441
H-300-NXT Replacement Cartridge (6-PK)	EV927446
H-1200 Replacement Cartridge (1-PK)	EV928201
H-1200 Replacement Cartridge (3-PK)	EV928203
SCS-350 Replacement Cartridge (1-PK)	EV927020
SPA-400 Replacement Cartridge (1-PK) SPA-400 Replacement Cartridge (6-PK)	EV927091 EV927097
EF-1500 Full Flow Replacement Cartridge (1-PK) EF-3000 Full Flow Replacement Cartridge (1-PK) EF-3000 Full Flow Replacement Cartridge (6-PK) EF-6000 Full Flow Replacement Cartridge (1-PK) EF-6000 Full Flow Replacement Cartridge (6-PK)	EV985850 EV985750 EV985756 EV985550 EV985556
PBS-400 Replacement Cartridge (1-PK) PBS-400 Replacement Cartridge (6-PK)	EV927086 EV927087
ROM-PFK Twin Cart Set, 1/C	EV929670
ROM-G75, RO Element, 1/C	EV929775





WATER CHILLER

Pentair Everpure Water Chiller system offers quality, chilled, filtered water.



(EV931830)

- Commercial grade chiller delivers up to 1.3 gallons (4.9 liters) of chilled water per hour – 50°F (10°C)
- Whisper-quiet compressor
- Dimensions: 14H x 7W x 17D in (35.6 x 17.8 x 43.2 cm)



DRINKING WATER FAUCETS



CLASSIC SERIES

COLD WATER ONLY

EV997062 Chrome

DESIGNER SERIES

COLD WATER ONLY

Chrome EV997056 **Brushed Nickel** EV997059

Air Gap Adapter for Reverse Osmosis Systems (EV312339)


(Required for Reverse Osmosis Systems without built-in air gap)



For compact spaces, such as behind the refrigerator, Pentair Everpure offers streamlined inline filter options.

Chie	i.
	1776
	- 30
	- 550
	100

	MODEL	PART NO.	DESCRIPTION	CAPACITY / LIFE
	IN-6 PG-S	EV910067	6" 100% phosphate for scale prevention only	6 months
	IN-10	EV910008	10" granular activated carbon with scale control	2,400 gallons
	IN-10 CC	EV910071	10" calcite/carbon for taste and odor with mineral feed	2,000 gallons
	IN-10 NS5	EV910072	10" 5-micron sediment for dirt and particles	6-12 months
	IN-10 CK	EV910068	10" KDF-55D/carbon for taste and odor reduction with scale and slime prevention	5,000 gallons
	IN-12	EV910007	10" high capacity granular activated carbon with scale control	4,800 gallons
	IN-12	EV910086	10" high capacity granular activated carbon with scale control and JG Fittings	4,800 gallons
	IN-15	EV910076	15" 5-micron graded density carbon block for taste and odor reduction	5,000 gallons



DROP-IN FILTER SYSTEMS AND CARTRIDGES

Both durable and affordable, Pentair Everpure drop-in filter systems and cartridges provide whole home protection with minimal maintenance and expense.



E-10 Sediment Prefilter (EV979580)

- Inlet/Outlet 3/4" NPT
- 10" housing with EC110 micron sediment filter

E-20 Sediment Prefilter (EV979590)

- Inlet/Outlet 3/4" NPT
- 20" housing with EC210 sediment filter

REPLACEMENT CARTRIDGES

EC110 For E-10 (12-PK) EV953412 EC210 For E-20 (6-PK) EV953426



Whole House Twin 20" Big Bowl System (EV910024)

 High-capacity Parallel 202 Housing and (2) DGD 2501 Sediment Reduction Cartridges

REPLACEMENT CARTRIDGES FOR WHOLE HOUSE BIG BOWL SYSTEMS

20" Dual Gradient Poly Sediment Cartridge (6-PK) 155360-130

20" Pleated Cellulose Polyester Cartridge (6-PK) 255494-43

20" Granular Activated Carbon Cartridge (4-PK) 155249-43

20" Carbon Block (EP-20BB) Cartridge (4-PK)

20" Radial Flow Iron Reduction Cartridge (4-PK) 155263-03



Basic Filter Housings

- Inlet/Outlet 1/2" NPT
- A-10 10" clear housing (EV910001)
- A-11 10" opaque housing (EV910002)



S0-204 Softening Cartridge

(EV910545)(4-PK)

- Reduces scale-forming minerals
- May be used on water having up to 30 grains per gallon (500mg/L) hardness



CGT-10 Drop-In Cartridge (EV910811)

• Chlorine, taste and odor reduction

CG53-10 Drop-In Cartridge (EV910853)

- Chlorine, taste and odor reduction
- NSF/ANSI Standard 53 certified to reduce cysts such as *Cryptosporidium* and *Giardia* by mechanical means

SS-10 Scalestick (EV979902)

- Hydroblend compound
- Translucent housing



T-20 Whole House Filter (EV937000)

- Reduces common, unpleasant tastes and odors, and excess chlorine
- Reduces cloudiness and undissolved lead
- Dimensions: 29.7H x 9.1D in (75.4 x 23.1 cm)
- 5-8 gpm flow (19-30 lpm)

2053 Micro-Pure Charge (6-PK) EV969000 2055 Element and Micro-Pure Charge (1-PK) EV971000

EPA Est. No. 002623-IL-002 CUSTOMER SERVICE: 800.279.9404 17

PEACE OF MIND. FOR LIFE.

WATER TOUCHES NEARLY EVERYTHING WE DO.

At Pentair, we believe the health of our world depends on reliable access to clean water.

With a history of more than 85 years in water filtration, Pentair Everpure is the number one selling brand of commercial grade products worldwide. Offering a conservation-conscious alternative to bottled water, Pentair is also a trusted provider of drinking water systems and appliances for savvy consumers desiring cleaner, better-tasting water .

Our responsibility is to deliver smart, sustainable water solutions — for life. From approximately 135 locations in 26 countries, serving more than 150 countries, Pentair's 11,250 employees are united in our unwavering belief in the critical importance of clean water.

To learn more, visit pentair.com.

The future of water depends on us.



